



Huts & Decks WA  
TRANSFORMING SPACES

# AMALFI Pergola





Huts & Decks WA  
TRANSFORMING SPACES

# AMALFI Pergola





Huts & Decks WA  
TRANSFORMING SPACES

# AMALFI Pergola



## SIZES

3m x 4m x 2.50m high  
3m x 5m x 2.50m high



## SPECS (L/D x W x H mm)

- Aluminium Legs : 120 x 120 x 18mm, Powder Coated
- Aluminium beams: 160 x 110 x 18 - 21 mm, Powder Coated
- Aluminium Louvres: Double Layer: 190 x 40 x 13 - 21mm, Powder Coated
- 21 louvres for 3 x 4m and 27 louvres for 3 x 5m
- Stainless Steel Corner Covers
- Stainless Steel 4mm thick Feet Plates - Stainless Steel Hardware
- Patented Design Crank handle for opening and closing.
- Some Components are made of Stainless Steel and some Galvanized Steel.
- 3 x 4m has 1 Crank Handle.
- 3 x 5m has 2 Crank Handles, so you can open or close half of the roof at a time.
- Includes Concrete Bolts and Timber Screws
- Available in Gunmetal or all White
- 4 year warranty

# AMALFI ANTI WIND SCREEN

## SCREENS



### SIZES

3m x 2.50m drop  
4m x 2.50m drop  
5m X 2.50m drop

### ATTACH TO

AMALFI Pergolas



### SPECS (L/D x W x H mm)

- High end Textilene 2 x 2 Weave Fabric - 420gm
- Colour fastness - Class 8
- Reduces wind dramatically
- Aluminium Housing Powder Coated with a Zinc Coated steel Fabric pipe
- 3 year warranty

# AMALFI SIDE PANEL

## FIXED LOUVRE COLLECTION



### SIZES

0.97w x 2.34m high

### ATTACH TO

AMALFI Pergolas



### SPECS (L/D x W x H mm)


- Aluminium Frame : 65 x 25 x 1.25mm, Powder coated
- Aluminium Louvres : 60 x 7 x 1mm, Powder coated
- 31 Louvres per Panel
- Sold 1 piece per carton
- Available in Gunmetal or White
- 3 year warranty

# CRANK OPENING AND CLOSING SYSTEM



## SPECS

- Patented Design Crank handle for opening and closing the Louvre Roofed Gazebo's.
- Components are made of some Stainless Steel and some Galvanized Steel.
- Easy Opening and Closing.
- Crank handle is located on one the legs.
- Much better looking than most others with their handle hanging from the beam above.

- 
- These Louvred Roofed Gazebo's are not a permanent structure.
  - They are designed to be waterproof when louvres are closed. Rainwater runs off the Louvres into the gutters and down through the legs. However, during heavy or torrential rain, some rainwater may drip through.
  - Keep Louvres open in high winds or stormy conditions to allow the wind to pass through, reducing stress on the Gazebo.
  - If Anti Wind Screens are attached, please slide up and stow in high wind or stormy conditions.
  - Ideally stow the Anti Wind Screens when dry. If situation does not allow this at the closest time after these have been stowed, slide down to allow to dry properly. This will help preserve the performance and colour of the screen.
  - Not for Commercial Use.